

# Strictness of the Collapsible Pushdown Graph Hierarchy

Alexander Kartzow (joint work with Pawel Parys)

Universität Leipzig

09.05.2012

supported by DFG project GELO and ESF project GAMES

# Collapsible Pushdown Systems (CPS)

- Higher-order pushdown systems (HOPS) [Maslov'76]
  - Pushdown systems with nested stack of ... of stacks
  - Operation: push / pop for each stack level
  
- Motivation:

Theorem (Knapik, Niwinski, Urzyczyn '02)

*trees of HOPS = trees of safe higher-order recursion schemes*

# Collapsible Pushdown Systems (CPS)

- Higher-order pushdown systems (HOPS) [Maslov'76]
  - Pushdown systems with nested stack of ... of stacks
  - Operation: push / pop for each stack level
- Collapsible pushdown system (CPS)  
Extension by “Collapse” operation
- defined by Hague, Murawski, Ong and Serre in '08
- Motivation:

Theorem (Knapik, Niwinski, Urzyczyn '02)

*trees of HOPS = trees of safe higher-order recursion schemes*

Theorem (Hague et al. '08)

*trees of CPS = trees of higher-order recursion schemes*

# Basic Results on HOPG / CPG

Theorem (Carayol, Wöhrle '03)

$HOPG/\varepsilon = \text{Causal-hierarchy}$

Corollary

$MSO$  decidable on  $HOPG/\varepsilon$


Theorem (Model checking on  $CPG/\varepsilon$ )

$MSO$	<i>undecidable</i>	(Hague et al. '08)
$L\mu$	decidable	(Hague et al. '08)
$FO + Reach$	decidable on level 2	(Kartzow '10)
$FO$	<i>undecidable</i> on higher levels	(Broadbent '12)


## Hierarchy questions

- Are there more level  $i + 1$  graphs than level  $i$ ?
- Are there more level  $i + 1$  trees than level  $i$ ?
- Are there more languages in level  $i + 1$  than in level  $i$ ?
- Does the collapse operation make a difference?


# Stack Operations



# Stack Operations




# Stack Operations







## Stack Operations



# Stack Operations



# Stack Operations




## Definition CPG

- Transition relation  $\Delta$ :  
state + topmost letter  $\mapsto$  new state + stack-operation  
e.g.  $\delta = (q, \sigma) \mapsto (q', \text{pop}_2)$
- Configuration  $(q, s)$  –  $q$  state,  $s$  stack (of level 2)
- $(q, s) \xrightarrow{\delta} (q', \text{pop}_2(s))$
- CPG: configurations of CPS + labelled transition relation
- CPG/ $\varepsilon$ :  $\varepsilon$ -contraction of CPG



## Example of CPG



Grid MSO-interpretable  
⇒ MSO undecidable

# CPS as Countdown-Timer

## Definition

$f : \mathbb{N} \rightarrow \mathbb{N}$  a function

A deterministic CPS  $\mathcal{S}$  is an  $f$ -countdown iff

$\mathcal{S}$  started in  $(q_0, a^n)$  makes exactly  $f(n)$  non- $\varepsilon$  computation steps.

## Theorem

For  $f_k(x) := \exp_{k-1}(x)$ , there is an  $f_k$ -countdown of level  $k$ .

## Proof.

Level 1:  $f_0(x) = \exp_0(x) = x \quad (q_0, a, \gamma, \text{pop}, q_0)$

Level 2: 1-stacks = exponents

a a a
a a a a a

$$\left. \begin{array}{l} 2^3 = 8 \\ 2^5 = 32 \end{array} \right\} + 40$$



# CPS as Countdown-Timer

## Definition

$f : \mathbb{N} \rightarrow \mathbb{N}$  a function

A deterministic CPS  $\mathcal{S}$  is an  $f$ -countdown iff

$\mathcal{S}$  started in  $(q_0, a^n)$  makes exactly  $f(n)$  non- $\varepsilon$  computation steps.


## Theorem

For  $f_k(x) := \text{exp}_{k-1}(x)$ , there is an  $f_k$ -countdown of level  $k$ .

## Proof.

Level 1:  $f_0(x) = \text{exp}_0(x) = x$   $(q_0, a, \gamma, \text{pop}, q_0)$

Level 2: 1-stacks = exponents  $2^k - 1 = 2^{k-1} + 2^{k-2} + \dots + 2^0$



$$\left. \begin{array}{l} 2^3 = 8 \\ 2^5 = 32 \end{array} \right\} + 40$$

$$\left. \begin{array}{l} 2^0 = 1 \\ 2^1 = 2 \\ 2^2 = 4 \\ 2^5 = 32 \end{array} \right\} + 39$$



# CPS as Countdown-Timer

## Definition

$f : \mathbb{N} \rightarrow \mathbb{N}$  a function

A deterministic CPS  $\mathcal{S}$  is an  $f$ -countdown iff

$\mathcal{S}$  started in  $(q_0, a^n)$  makes exactly  $f(n)$  non- $\varepsilon$  computation steps.


## Theorem

For  $f_k(x) := \exp_{k-1}(x)$ , there is an  $f_k$ -countdown of level  $k$ .

## Proof.

Level 1:  $f_0(x) = \exp_0(x) = x$   $(q_0, a, \gamma, \text{pop}, q_0)$

Level 2: 1-stacks = exponents  $2^k - 1 = 2^{k-1} + 2^{k-2} + \dots + 2^0$



$$\left. \begin{array}{l} 2^3 = 8 \\ 2^5 = 32 \end{array} \right\} + 40$$

$$\left. \begin{array}{l} 2^0 = 1 \\ 2^1 = 2 \\ 2^2 = 4 \\ 2^5 = 32 \end{array} \right\} + 39$$

$$\left. \begin{array}{l} 2^1 = 2 \\ 2^2 = 4 \\ 2^5 = 32 \end{array} \right\} + 38$$



# The Pumping Lemma

## Theorem

$\mathfrak{G}$   $k$ -CPG/ $\varepsilon$  finitely branching

$\exists C \in \mathbb{N}$  : for  $g_0 \in \mathfrak{G}$  at distance  $n$  from the initial configuration

$\exists g_1 \quad \text{dist}(g_0, g_1) = \exp_{k-1}(C \cdot (n + 1))$

$\Rightarrow$  Infinitely many paths start at  $g_0$ .

## Corollary

*The collapsible pushdown graph hierarchy is strict level-by-level.*

*The collapsible pushdown tree hierarchy is strict level-by-level.*


## Application

### Example

$\mathfrak{T} := (T, \text{succ})$  with

$$T := \{0\}^* \cup \{0^{n-1}1^j : 0 \leq j \leq \exp_k(n)\}$$

is **not** a  $k$ -CPG/ $\varepsilon$



### Proof.

Choose  $2^{n_0} > C \cdot (n_0 + 1)$  then

$$\exp_k(n_0) = \exp_{k-1}(2^{n_0}) > \exp_{k-1}(C \cdot (n_0 + 1))$$

P.L.  $\Rightarrow$  infinitely many paths start at  $0^{n_0-1}1$  **contradiction** □

# Pumpable Runs

## Definition (Increasing Run in 1-PS)

initial stack is prefix of all stacks in the run

$$R_1 : q_1, aa \rightarrow q_2, aab \rightarrow q_3, aa \rightarrow q_4, aab \rightarrow q_1, aaba$$

## Examples

$R_1$  is an increasing run

# Pumpable Runs

## Definition (Increasing Run in 1-PS)

initial stack is prefix of all stacks in the run

$$\begin{array}{l} R_2 : q_1, aa \quad \rightarrow q_2, a \quad \rightarrow q_3, aa \quad \rightarrow q_4, aab \quad \rightarrow q_1, aaba \\ R_1 : q_1, aa \quad \rightarrow q_2, aab \quad \rightarrow q_3, aa \quad \rightarrow q_4, aab \quad \rightarrow q_1, aaba \end{array}$$

## Examples

$R_1$  is an increasing run

$R_2$  is **not** an increasing run

# Pumpable Runs

## Definition (Increasing Run in 1-PS)

initial stack is prefix of all stacks in the run

$$\begin{array}{l} R_2 : q_1, aa \quad \rightarrow q_2, a \quad \rightarrow q_3, aa \quad \rightarrow q_4, aab \quad \rightarrow q_1, aaba \\ R_1 : q_1, aa \quad \rightarrow q_2, aab \quad \rightarrow q_3, aa \quad \rightarrow q_4, aab \quad \rightarrow q_1, aaba \\ \quad \quad \quad \rightarrow q_2, aabaab \quad \rightarrow q_3, aabaa \quad \rightarrow q_4, aabaab \quad \rightarrow q_1, aabaaba \end{array}$$

## Examples

$R_1$  is an increasing run

$R_2$  is **not** an increasing run


Increasing run with

- initial state = final state
- initial top symbol = final top symbol

is *pumpable*.

# Increasing Runs on Higher Levels

## Example



Proof of the pumping lemma:

- Describe increasing runs with *context free run grammar*  
nonterminals = set of runs; terminals = transitions  
Example:  $Q \supseteq \delta Q | \epsilon$
- Context free run grammar induces *type* function on configurations  
type : Stacks  $\rightarrow D$ ,  $D$  a finite set such that  
 $(q, s) \rightarrow^* (q', s')$  increasing run and  $\text{type}(s) = \text{type}(t)$   
 $\Rightarrow \exists t' \quad (q, t) \rightarrow^* (q', t')$  increasing run
- Combinatorics: long run contains many increasing runs  
 $\Rightarrow \exists$  increasing run with equal initial and final type.



# More Applications of Grammars / Types

## Theorem

Given  $\mathcal{G}$  a  $k - \text{CPG}/\varepsilon$ , it is decidable (in  $\exp_{O(n)}$ -time) whether

- $\mathcal{G}$  is finitely branching
- $\mathcal{G}$  contains a loop
- $\mathcal{G}$  is finite
- the unfolding of  $\mathcal{G}$  into a tree is finite

## Proof idea

- 1  $\exists C$  property holds iff a run in class  $C$  exists
- 2 provide context-free run grammar  $G$  for  $C$
- 3 Check the type (w.r.t  $G$ ) of the initial configuration

## More Applications of Grammars / Types

### Theorem

Given  $\mathcal{G}$  a  $k - \text{CPG}/\varepsilon$ , it is decidable (in  $\exp_{O(n)}$ -time) whether

- $\mathcal{G}$  is finitely branching
- $\mathcal{G}$  contains a loop
- $\mathcal{G}$  is finite
- the unfolding of  $\mathcal{G}$  into a tree is finite

### Theorem (Parys '12)

Collapse operation increases the power of higher-order pushdowns

- More configuration graphs with collapse
- More trees with collapse  
 $\Rightarrow$  Safety restricts recursion schemes
- More languages accepted with collapse

# Conclusion and Open Problems

## Conclusion

- pumping lemma for  $k$ -CPG/ $\varepsilon$ : tool for disproving membership
- $\Rightarrow$  strictness (level-by-level) of the CPG hierarchy
- Proof strategy also yields decidability of
  - finite branching
  - finiteness
  - loop-freeness
  - finiteness of unfolding

## Open questions

- Level-by-level separation of languages accepted by  $k$ -CPS
- Stronger pumping: more information about the resulting paths